




BSK
Baumann & Schaufelberger
Kaiseraugst AG
Ihr Sicherheits-Partner für alle Fälle

KATALOG

26.05.2016



DS-2CE16D5T-FIT

HIKVISION

HD-TVI 2MP Kam. 2.8-12mm IR50M IP66



Bezeichnung

HD1080p, 1/3 CMOS, 1 pcs EXIR LED, 50m IR, Outdoor EXIR Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 2.8~12mm Lens

DS-2CE16D5T-2.8

HIKVISION

HD-TVI 2MP Kam. 2.8mm IR40M 12Vdc IP66



Bezeichnung

HD1080p, 1/3 CMOS, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 2.8mm Lens

DS-2CE16D5T-3.6

HIKVISION

HD-TVI 2MP Kam. 3.6mm IR20M12Vdc IP66



Bezeichnung

HD1080p, 1/3 CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 3.6mm Lens

Dôme HD-TVI 1080p WDR 2.8-12mm IP66



Bezeichnung

HD1080p, 1/3" CMOS, 24 pcs IR LEDs, 30m IR, Outdoor IR Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, OSD Menu(Up to Coax), Digital WDR, Vandal Proof, 2.8-12mm Lens

HD-TVI 1080p Dome 2.8mm IR20M IP66



Bezeichnung

HD1080p, 1/3" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 2.8mm Lens

HD-TVI 1080p Dome 3.6mm IR40M IP66



Bezeichnung

HD1080p, 1/3" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 3.6mm Lens

DS-2CE56D5T-IR6**HIKVISION****HD-TVI 1080p Dome 6mm IR20M IP66****Bezeichnung**

HD1080p, 1/3" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 2.8mm Lens

DS-2CE56D1T-AVP**HIKVISION****HD-TVI Dome 1080p 2.8-12mm IR IP66****Bezeichnung**

DS-2CE56D5T-2.8**HIKVISION****HD-TVI Dome 1080p 2.8mm IR40m IP66****Bezeichnung**

HD1080p, 1/3" CMOS, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 2.8mm Lens

DS-2CE56D5T-3.6**HIKVISION****HD-TVI Dome 1080p 3.6mm IR40m IP66****Bezeichnung**

HD1080p, 1/3" CMOS, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, OSD Menu(Up to Coax), Digital WDR, IP66, 3.6mm Lens

DS-2CE56D1T-VFI**HIKVISION****HD-TVI Dome 1080p IR40m 2.8-12mm IP66****Bezeichnung**

HD1080p, 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8-12mm Lens

DS-7316HQHI-4TB**HIKVISION****16 Kanäle HD-TVI Rek Full-HD Audio 4TB****Bezeichnung**

16 Turbo HD/Analog self-adaptive interfaces input, 16-ch video&4-ch audio input, 4 SATA interfaces, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 16/4, 1.5U 19

DS-7208HQHI-2TB

HIKVISION

8 Kanäle HD-TVI Rek., Full-HD, Audio, 2



Bezeichnung

8 Turbo HD/Analog self-adaptive interfaces input, 8-ch video&4-ch audio input, Alarm I/O, 1 SATA interface, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 8/4, 380 1U case, HD= 2TB

DS-7204HQHI-2TB

HIKVISION

4 Kanäle HD-TVI, Full-HD, Audio, 2TB



Bezeichnung

4 Turbo HD/Analog self-adaptive interfaces input, 4-ch video&4-ch audio input, Alarm I/O, 1 SATA interface, 1920x1080P: 25(P)/30(N) fps/ch, alarm I/O: 4/1, standalone 1U case, HD= 2TB